Subject Index

Abbreviations: (CR) case report, (E) editorial, and (LE) letter to the editor.

ASD, atrial septal defect; AV, atrioventricular; CHD, coronary heart disease; LV, left ventricle or left ventricular; MAPCAs, major aortopulmonary collateral arteries; PA, pulmonary artery; PDA, persistent or patent ductus arteriosus; RPA, right pulmonary artery; RV, right ventricle or right ventricular; TAPVD, total anomalous pulmonary venous drainage; TGA, transposition of the great arteries; 2D, two-dimensional; VSD, ventricular septal defect; and WPW, Wolff-Parkinson-White.

"Absent" pulmonary valve with ASD and PDA (CR), *107*
AIDS-related complex after infant cardiac surgery (LE), *335*
Anatomically corrected malposition of great arteries in situs ambiguus with polysplenia, *53*
Aneurysm, aortic, in familial supravalvar aortic stenosis (CR), *227*
coronary, in Kawasaki disease, 2D follow-up, *11*
dissecting ventricular, after open-heart surgery (CR), *319*
of fossa ovalis in infants, *65*
Angiographic data, normative, of aortic diameters in children, *3*
Anomalous left coronary artery, diagnosis by contrast echocardiography of (CR), *203*
origin and malposition of PAs in complex congenital heart disease, *287*
origin of RPA from ascending aorta, *47*
pulmonary venous drainage, total, value of early repair for, *77*
pulmonary venous drainage, total infradiaphragmatic, radionuclide diagnosis, *69*
Aorta, ascending, anomalous origin of RPA from, *47*
ascending, congenital thrombotic occlusion of (CR), *165*
coarctation of, pulsed Doppler study of (CR), *275*
Aortic aneurysm in familial supravalvar aortic stenosis (CR), *227*
arch, double, with atretic right dorsal segment (CR), *331*
arch and ascending aorta, congenital thrombotic occlusion of (CR), *165*
arch interruption, 2D echocardiographic diagnosis in utero (CR), *147*
diameters in children, normative angiographic data, *3*
and mitral regurgitation in Kawasaki disease (CR), *95*
root measurements, normative values in neonates, *61*
stenosis, assessing severity of, *263*
stenosis, critical, treatment of by aortoventriculoplasty (CR), *323*
stenosis, familial supravalvar, aortic aneurysms in (CR), *227*
stenosis, severe, in newborn associated with aortico–LV tunnel (CR), *171*
valve area and gradient in aortic stenosis, *263*
valve, balloon valvuloplasty in an infant (CR), *103*
Aortico–LV tunnel with severe aortic stenosis in a newborn, successful repair of, *171*
Aortopulmonary collateral arteries, major, with hypoplasia of the intrapulmonary, *137*
Aortoventriculoplasty in an infant with aortic stenosis (CR), *323*
Asplenia syndrome, anastomosis of systemic veins to pulmonary arteries in treatment of, *327*
complicated by purulent pericarditis (LE), *114*
Ataxia, Friedreich's, presenting as cardiac disease, *41*
Atresia of the coronary sinus orifice (CR), *99*
tricuspid and ventricular inversion, long survival without surgery, *187*
Atrial septal defect (ASD) and PDA with "absent" pulmonary valve (CR), *107*
stimulation, effects of, on AV conduction, *245*
Atrioventricular (AV) conduction bundle in anomalous bundle of RV with subarterial VSD, *157*
conduction, effect of atrial stimulation on, *245*
discordance, survival in, *57*
valves and ventricular mass in TGA, architecture of, *253, 299*

Balloon valvuloplasty of aortic valve in an infant (CR), *103*
Banding, pulmonary artery, assessment by 2D echocardiography, *239*
Beuren, Alois J. (obituary), *1*
Bifascicular and trifascicular block after correction of tetralogy of Fallot, *133*
Blood flow velocity, pulmonary, and systolic PA pressure and ductal closure in newborns, *233*
venous, in the leg after femoral vein ligation at cardiac catheterization, *179*
Body fatness, effect of, on ECG in children aged 12–15 years, *249*

Cardiac catheterization in infants under one year, complications and mortality, *123*

catheterization via femoral vein, effect of ligation on venous blood flow, *179*
disease in Friedreich's ataxia, *41*
surgery in an infant followed by AIDS-related complex (LE), *335*
surgical patients, intravenous KCl supplementation in, *25*
Catheterization, cardiac, in infants under one year, complications and mortality, *123*
via femoral vein, effect of on venous blood flow in the leg, *179*
Cineangiographic study of RV string (LE), *177*
Coarctation of the aorta, pulsed Doppler in (CR), *275*
and Taussig–Bing anomaly in infancy, *83*
Collateral arteries, major aortopulmonary, with hypoplasia of intrapulmonary arteries, *137*
Conduction, AV, effect of atrial stimulation on, *245*
bundle, AV, in anomalous muscle bundle of RV with VSD, *157*
disturbances, intraventricular, after Fallot's tetralogy correction, *133*
system in a population of patients with sudden infant death syndrome, *29*
Conduit-mounted homograft, open valve leaflet, fixation of (CR), *175*
Congenital heart disease, complex, anomalous origin and malposition of PAs in, *287*
heart disease, cyanotic, causing myocardial infarction in a neonate (CR), *219*
hydrops and WPW syndrome (LE), *113*
thrombotic occlusion of ascending aorta and aortic arch (CR), *165*
Contrast echocardiography for diagnosing anomalous left coronary artery from PA, *203*
Cor triatriatum masked by primary pulmonary hypertension (CR), *161*
2D echocardiography of (CR), *211*
Coronary aneurysms in Kawasaki disease, 2D follow-up observations, *11*
artery, anomalous left, contrast echocardiography of (CR), *203*
sinus orifice, atresia of (CR), *99*
Coxsackie myocarditis, neonatal, LV function in (CR), *151*
Crisscross pulmonary arteries in complex congenital heart disease (CR), *287*

Deviation, left-axis, in healthy children, *7*
Dextro-transposition of the great arteries with absent LV myocardium, *283*
Diameters, aortic, in children, normative angiographic data, *3*
Digitalis toxicity in infants and plasma digoxin levels (LE), *51*
Digoxin toxicity in a premature infant, treatment with Fab fragments of digoxin, *91*
-specific antibodies, Fab fragments of, in treatment of digoxin toxicity, *91*
Discordance, AV, survival in, *57*
Dissecting ventricular septal aneurysm after open-heart surgery (CR), *319*
Doppler frequency shift in coarctation of the aorta (CR), *275*
pulsed, in coarctation of the aorta (CR), *275*
Dosage, quinidine, in children, *269*
Double aortic arch with atretic right dorsal segment (CR), *331*
mitral valve orifice (CR), *215*
Ductal closure, pulmonary blood flow velocity and systolic PA pressure in healthy neonates, *233*
Ductus arteriosus, echocardiographic and clinical assessment of very low birth weight infants, *17*
persistent with ASD and "absent" pulmonary valve (CR), *107*

Echocardiographic recognition in utero of aortic arch interruption (CR), *147*
Echocardiography and clinical assessment in very low birth weight infants with PDA, *17*
contrast, in diagnosing anomalous left coronary artery from PA, *203*
fetal, confidence limits and accuracy (E), *145*
2D, in assessing PA banding, *239*
2D, in diagnosis of cor triatriatum (CR), *211*
2D, in diagnosis of intrapericardial tumor (CR), *223*
2D, in follow-up of aneurysms in Kawasaki disease, *11*
Electrocardiogram in children aged 12–15 years, effect of fatness on, *249*
Endocardial fibroelastosis of right ventricle, anomalous origin of RPA in association with, *47*
Endocarditis, infective, in childhood, *183*
Enterocolitis, Salmonella, in a child with myocardial infarction (CR), *279*

Fab fragments of digoxin-specific antibodies in treatment of digoxin toxicity (CR), *91*
Fallot's tetralogy, intraventricular conduction disturbances after correction of, *133*
Familial supravalvar aortic stenosis and aortic aneurysms (CR), *227*
Femoral vein ligation, venous blood flow in the leg after, *179*
Fetal echocardiography, confidence limits and accuracy (E), *145*
Fibroelastosis, endocardial, with anomalous origin of RPA, *47*
Fibroma, intramural, partial replacement of LV wall for, *43*
Fossa ovalis in infants, aneurysm of, *65*
Friedreich's ataxia presenting as cardiac disease, *41*

Heart rate and systolic time intervals in health newborns, *117*
Homograft, conduit-mounted, unusual complication of (open valve leaflet fixation), *175*
Hydrops, congenital, and WPW syndrome (LE), *113*
Hypertension, primary pulmonary, masking cor triatriatum (CR), *161*
Hypoplasia of intrapulmonary arteries in RV outflow tract obstruction, VSD, and MAPCAs, *137*

Infarction, acute myocardial, in an infant with Kawasaki disease treated with streptokinase, *307*
myocardial, in a child with *Salmonella* enterocolitis (CR), *279*
myocardial, in a neonate with cyanotic CHD (CR), *219*
perinatal myocardial (CR), *313*
Infective endocarditis in childhood, *183*
Inferior vena cava drainage to left atrium (CR), *207*
Infradiaphragmatic TAPVD, radionuclide diagnosis of, *69*
Interventricular septum, left ventricle and mitral valve, architecture of, in TGA, *253*
Intramural fibroma, partial replacement of LV wall for, *43*
Interpericardial tumor diagnosed by 2D echocardiography (CR), *223*
Intrapulmonary arteries, hypoplasia of, with RV outflow tract obstruction, VSD, and MAPCAs, *137*
Intravenous KCl supplementation in pediatric cardiac surgical patients, *25*
Intraventricular conduction disturbances after Fallot's tetralogy correction, *133*

Kawasaki disease, coronary aneurysms in, 2D follow-ups, *11*
in an infant, aortic and mitral regurgitation in (CR), *95*
recurrent (CR), *199*
streptokinase in, after acute myocardial infarction (CR), *307*
KCl supplementation, intravenous, in pediatric cardiac surgical patients, *25*

Left-axis deviation in healthy children, *7*
Left ventricle, mitral valve and interventricular septum, architecture of, in TGA, *253*
Left ventricular–aortic tunnel with severe aortic stenosis in a newborn, success, *171*
function in isolated rheumatic mitral stenosis, *293*
function in neonatal Coxsackie myocarditis (CR), *151*
myocardium, almost total absence of with dextro-TGA of, *283*
wall, replacement of for intramural fibroma, *43*

Malnutrition, human, QT interval in (LE), *52*
Malposition, anatomically corrected, of the great arteries in situs ambiguus with, *53*
and anomalous origin of PAs in complex congenital heart disease (CR), *287*
MAPCAs with hypoplasia of intrapulmonary arteries, RV outflow tract obstruction, *137*
Mitral and aortic regurgitation in an infant with Kawasaki disease (CR), *95*
stenosis, isolated rheumatic, LV function in, *293*
valve, left ventricle and interventricular septum, architecture of, in TGA, *253*
valve orifice, double (CR), *215*
Mortality and complications associated with cardiac catheterization in infants, *123*
Muscle bundle, anomalous, of RV with subarterial VSD, surgical anatomy of atrioventricular, *157*
Myocardial infarction, acute, in an infant with Kawasaki disease treated with streptokinase, *307*
in a child with *Salmonella* enterocolitis (CR), *279*
in a neonate with cyanotic CHD (CR), *219*
(perinatal) (CR), *313*
Myocarditis, neonatal Coxsackie, LV function in (CR), *151*
Myocardium, LV, absence of, with dextro-transposition of the great arteries, *283*

Neonatal Coxsackie myocarditis, LV function in (CR), *151*
myocardial infarction associated with cyanotic CHD (CR), *219*
Neonates, normal values of aortic root measurements in, *61*
with scimitar syndrome, *193*
Nutritional rehabilitation and QT interval in early human malnutrition (LE), *52*

Obituary, Alois J. Beuren, *1*
Occlusion, congenital thrombotic, of ascending aorta and aortic arch (CR), *165*
Open-heart surgery followed by dissecting ventricular septal aneurysm (CR), *319*

Pericarditis, purulent, in asplenia syndrome (LE), *114*
Perinatal myocardial infarction (CR), *313*
Persistent or patent ductus arteriosus (PDA) and ASD with "absent" pulmonary valve (CR), *107*
hemodynamically significant, echocardiographic and clinical assessment of very low birth weight infants, *17*
Polysplenia with anatomically corrected malposition of the great arteries in situs ambiguus, *53*

Pulmonary arterial pressure, ductal closure and pulmonary blood flow velocity in, *233*
arteries, anomalous origin and malposition of, in complex CHD, *287*
arteries, hypoplasia of, with RV outflow tract obstruction, VSD, and MAPCAs, *137*
arteries to systemic veins anastomosis for repair of asplenia syndrome, *327*
artery banding, 2D echocardiographic assessment of, *239*
artery, right anomalies, associated with right ventricular endocardial fibroelastosis, *47*
blood flow velocity, ductal closure and systolic PA pressure in neonates, *233*
hypertension, primary, masking cor triatriatum (CR), *161*
valve, "absent," with ASD and PDA (CR), *107*
vein diameter in normal children, *259*
venous drainage, total anomalous, radionuclide diagnosis of, *69*
venous drainage, total anomalous, value of early repair for, *77*
Pulsed Doppler in coarctation of the aorta (CR), *275*

QT interval in early human malnutrition (LE), *52*
Quinidine dosage in children, *269*

Radionuclide diagnosis of infradiaphragmatic TAPVD, *69*
Regurgitation, aortic and mitral, in Kawasaki disease (CR), *95*
Rheumatic mitral stenosis, isolated, LV function in, *293*
Right ventricle and tricuspid valve architecture in TGA, *299*

Salmonella enterocolitis in a child with myocardial infarction (CR), *279*
Scimitar syndrome in neonates, *193*
Sinus, coronary, atresia of orifice (CR), *99*
Situs ambiguus and anatomically corrected malposition of great arteries with polysplenia, *53*
Stenosis, aortic, assessing severity of, *263*
critical aortic, in an infant treated by aortoventriculoplasty (CR), *323*
isolated rheumatic mitral, LV function in, *293*
String, RV, cineangiographic observation of (LE), *177*
Streptokinase, intravenous, in an infant with Kawasaki disease and acute myocardial infarction, *307*
Sudden infant death syndrome, study of conduction system in a population of patients with, *29*
Syndrome, asplenia, complicated by purulent pericarditis (LE), *114*
asplenia, systemic veins to pulmonary arteries anastomosis for (CR), *327*
scimitar, in neonates, *193*
WPW, and congenital hydrops (LE), *113*
Systemic veins to pulmonary arteries anastomosis for asplenia syndrome (CR), *327*
Systolic time intervals and heart rate in healthy newborns, *117*

Tachycardia, postexercise ventricular, in children (LE), *231*
TAPVD, infradiaphragmatic, radionuclide diagnosis of, *69*
value of early repair for, *77*
Taussig–Bing anomaly and coarctation of the aorta in infancy, *83*
Tetralogy of Fallot, intraventricular conduction disturbances after correction of, *133*
Thrombotic occlusion, congenital, of ascending aorta and aortic arch (CR), *165*
Toxicity, digitalis, in infants and plasma digoxin levels (LE), *51*
digoxin, in a premature infant, treatment of, with Fab fragments (CR), *91*
Transposition of the great arteries, architecture of ventricular mass and AV valve, *253*, *299*
with absent LV myocardium (CR), *283*
Transvalvar gradient and valve area in aortic stenosis, *263*
Tricuspid atresia and ventricular inversion (VITA complex), natural history of, *187*
valve and right ventricle, architecture of in TGA, *299*
Trifascicular and bifascicular block after correction of Fallot's tetralogy, *133*
Tumor, intrapericardial, in an infant diagnosed by 2D echocardiography (CR), *223*
Two-dimensional echocardiography in assessing PA banding, *239*
in diagnosis of cor triatriatum (CR), *211*
in diagnosis of intrapericardial tumor (CR), *223*
in follow-up of aneurysms in Kawasaki disease, *11*
for recognition of aortic arch interruption in utero, *147*

Ultrasound assessment of ductal closure, pulmonary blood flow velocity and systolic PA pressure, *233*

Valve, aortic, in an infant, percutaneous balloon valvuloplasty of (CR), *102*
leaflet fixation of conduit-mounted homograft (CR), *175*
orifice, double mitral (CR), *215*
tricuspid, and right ventricle, architecture of in TGA, *299*
Valvuloplasty, percutaneous balloon, of aortic valve in an infant (CR), *102*

Vein, femoral, blood flow in the leg after ligation at cardiac catheterization, *179*
pulmonary, diameter of, in normal children, *259*
Vena cava, inferior, draining into left atrium (CR), *207*
Venous blood flow in the leg after ligation of femoral vein at cardiac catheterization, *179*
Ventricle, right, and tricuspid valve, architecture of, *299*
Ventricular inversion and tricuspid atresia (VITA complex), survival without surgery, *187*
left, function in isolated rheumatic mitral stenosis, *293*
right, outflow tract obstruction with hypoplasia of intrapulmonary arteries, *137*
right, string, cineangiographic observation of (LE), *177*
mass and AV valves in TGA, architecture of, *253*, *299*
myocardium, left, absence of, in dextro-TGA, *283*
septal aneurysm, dissecting, after open-heart surgery (CR), *319*
septal defect, subarterial, with anomalous muscle bundle of RV, surgical anatomy of AV conduction bundle, *157*
tachycardia, postexercise, in children (LE), *231*
wall, left, replacement for large intramural fibroma, *43*
VITA complex (ventricular inversion and tricuspid atresia), long survival without surgery, *187*

WPW syndrome and congenital hydrops (LE), *113*

Author Index

Allan LD: Fetal Echocardiography: Confidence Limits and Accuracy *145*
Alonso-Lej F (*see* Salazar) *53;* (*see* Salazar) *283*
Alpert BS: "Absent" Pulmonary Valve with Atrial Septal Defect and Patent Ductus Arteriosus *107;* An Unusual Complication of a Conduit-mounted Homograft: Valve Leaflet Fixation in the Open Position *175;* (*see* Jureidini) *239*
Anderson RH (*see* Smith A) *253;* (*see* Smith A) *299*
Anderson TM (*see* Sanchez GR) *103*
Arnold R (*see* Smith A) *253;* (*see* Smith A) *299*
Asmussen I: Cineangiocardiographic Observation of a Right Ventricular String *177*

Becker AE (*see* Kurosawa) *157*
Becker H (*see* Beitzke) *277*
Beitzke A: Development of Aortic Aneurysms in Familial Supravalvar Aortic Stenosis *227*
Bernsau U (*see* Trowitzsch) *165*
Bernstein D: Perinatal Myocardial Infarction: a Case Report and Review of the Literature *313*
Bessinger FB (*see* Schaber) *25*
Bharati S: Study of the Conduction System in a Population of Patients with Sudden Infant Death Syndrome *29*
Bianco JA (*see* Burtt) *307*
Black IFS (*see* Sanchez GR) *103*
Bolens M (*see* Friedli) *133*
Brandt PWT (*see* Clarkson) *3*
Brickley SE (*see* Sanchez GR) *103*
Bühlmeyer K (*see* Johnson) *137*
Burckart GJ: Quinidine Dosage in Children Using Population Estimates *269*
Burrows PE: Double Aortic Arch with Atretic Right Dorsal Segment *331*
Burtt DM: Intravenous Steptokinase in an Infant with Kawasaki's Disease Complicated by Acute Myocardial Infarction *307*
Butler VP (*see* Presti) *91*

Cambridge G (*see* Rozkovec) *151*
Campbell DN (*see* Galloway) *77;* (*see* Loehr) *323;* (*see* Schaffer) *335*
Casta A: Effects of Right and Left Atrial Stimulation on Atrioventricular Conduction in Children *245;* (*see* Wolf) *287*
Celermajer JM (*see* Sholler) *183*
Chase NA (*see* Alpert) *175*
Chaukar AP (*see* Pahlajani) *47*
Clarke DR (*see* Galloway) *77;* (*see* Loehr) *323*
Clarkson PM: Aortic Diameters in Infants and Young Children: Normative Angiographic Data *3*
Cohn HE: Complications and Mortality Associated with Cardiac Catheterization in Infants under One Year: a Prospective Study *123*
Cooper MJ (*see* Martin) *203*
Cordone M (*see* Marasini) *147*
Courtemanche DJ: Myocardial Infarction in a Child with *Salmonella* Enterocolitis *279*
Cowgill LD (*see* Loehr) *323*

Daniëls O (*see* Van de Wal) *319*
Danielson GK (*see* Huhta) *57*
De Moor MMA: Myocardial Infarction in a Neonate with Cyanotic Congenital Heart Disease *219*
Dickinson DF (*see* Smith A) *253;* (*see* Smith A) *299*
Diamant S: Successful Repair of Aortico–Left Ventricular Tunnel Associated with Severe Aortic Stenosis in a Newborn *171*
Di Segni E: Double Mitral Valve Orifice *215*
Di Sessa TG (*see* Alpert) *175*
Doetsch NW (*see* Zerkowski) *43*
Döhlemann C (*see* Lindner) *117*
Doyle EF (*see* Presti) *91*
Durant RH (*see* Jureidini) *239*
Duster MC (*see* Hoadley) *275*

Edwards JE (*see* Topaz) *65;* (*see* Gikonyo) *193*
Edwards MS (*see* Vargo) *199*
Efsen F (*see* Asmussen) *177*
Endrys J: Assessment of the Severity of Aortic Stenosis: Comparison of Gradient and Valve Area *263*
Ewing LL (*see* Sanchez GR) *103*

Fagioli I: QT Interval in Early Human Malnutrition and after Nutritional Rehabilitation *52*
Feigl A: Postexercise Ventricular Tachycardia in Children *231;* (*see* Topaz) *65*
Feigl D (*see* Feigl A) *231*
Felipe J (*see* Salazar) *53;* (*see* Salazar) *283*
Fink CW (*see* Freij) *95*
Finkbeiner WE (*see* Bernstein) *313*
Firth CE (*see* Courtemanche) *279*
Fixler DE (*see* Freij) *95*
Freed MD (*see* Cohn) *123*
Freeman RM (*see* Burrows) *331*
Freij BJ: Aortic and Mitral Regurgitation in an Infant with Kawasaki Disease *95*
Freund M: Ultrasound Assessment of Ductal Closure, Pulmonary Blood Flow Velocity, and Systolic Pulmonary Arterial Pressure in Healthy Neonates *233*
Friedli B: Intraventricular Conduction Disturbances after Correction of Tetralogy of Fallot: Can Bifascicular and Trifascicular Block Be Diagnosed from the Surface ECG? *133*
Friedman D (*see* Presti) *91*
Fujimoto T (*see* Yanagisawa) *11*
Fyler DC (*see* Cohn) *123*

Galloway AC: The Value of Early Repair for Total Anomalous Pulmonary Venous Drainage *77*
Garcia MD (*see* Salazar) *53;* (*see* Salazar) *283*
Garello-Cantoni L (*see* Cordone) *147*
Gessouroun M (*see* Freij) *95*
Gikonyo DK: Scimitar Syndrome in Neonates: Report of Four Cases and Review of the Literature *193*
Gootman N (*see* Diamant) *171*
Gutierrez A (*see* Salazar) *283*

Haber E (*see* Presti) *91*
Hallidie-Smith KA (*see* Rozkovec) *151*

Harned HS Jr (*see* Long) *69*
Hastreiter AR: Reply to the Letter from Dr. Rutledge *51*
Hawker RE (*see* Sholler) *183*
Haworth SG (*see* Johnson) *137*
Hayakawa K (*see* Ito) *249*
Hellenbrand WF (*see* Cohn) *123*
Henry GW (*see* Long) *69*
Hentrich F (*see* Zerkowski) *43*
Hoadley SD: Pulsed Doppler Study of a Case of Coarctation of the Aorta: Demonstration of a Continuous Doppler Frequency Shift *275*
Hobeika C (*see* Sharratt) *41*
Honda S (*see* Ito) *249*
Hosaki J (*see* Ito) *249*
Huhta JC: Survival in Atrioventricular Discordance *57;* (*see* Vargo) *199*
Human DG (*see* Sanchez HE) *207;* (*see* De Moor) *219*
Hutchins GM (*see* Tazelaar) *187*

Ibarra F (*see* Salazar) *53;* (*see* Salazar) *283*
Ilstrup DM (*see* Huhta) *57*
Ito S: Effects of Fatness on the Electrocardiogram in Children Aged 12–15 Years *249*
Itoh K (*see* Yanagisawa) *11*

Jacob JC (*see* Sharratt) *41*
Johnson RJ: Hypoplasia of the Intrapulmonary Arteries in Children with Right Ventricular Outflow Tract Obstruction, Ventricular Septal Defect, and Major Aortopulmonary Collateral Arteries *137*
Jureidini SB: Two-dimensional Echocardiographic Assessment of Adequacy of Pulmonary Artery Banding *239*

Kallfelz HC (*see* Trowitzsch) *165*
Kaplan S (*see* Reller) *17*
Kaplinsky E (*see* Di Segni) *215*
Katkov H (*see* Schaber) *25*
Kitada M (*see* Ito) *249*
Kim K-M: Asplenia Syndrome Complicated by Purulent Pericarditis *114*
King J (*see* Walther) *61*
King M (*see* Rozkovec) *151*
Kleihauer E (*see* Lang) *161*
Kotagal UR (*see* Reller) *17*
Krongrad E (*see* Bharati) *29*
Kupferschmid C (*see* Lang) *161*
Kurosawa H: Surgical Anatomy of the Artrioventricular Conduction Bundle in Anomalous Muscle Bundle of the Right Ventricle with Subarterial Ventricular Septal Defect *157*
Kusakawa S (*see* Ito) *249*

Lacquet LK (*see* Van de Wal) *319*
Lamberti JJ (*see* Waldman) *327*
Lang D: Cor Triatriatum Masked by Primary Pulmonary Hypertension *161*
Langendorfer SI (*see* Schaffer) *335*
Lauener P-A: Congenital Hydrops and WPW Syndrome *113*
Lawson EE (*see* Long) *69*
Lev M (*see* Bharati) *29*
Lew S (*see* Di Segni) *215*
Lindner W: Heart Rate and Systolic Time Intervals in Healthy Newborn Infants: Longitudinal Study *117*
Lituania M (*see* Marasini) *147*
Loehr JP: Aortoventriculoplasty in a Five-month-old Infant: an Alternative Approach to the Treatment of Critical Aortic Stenosis in Infancy *323*
Long WA: Radionuclide Diagnosis of Infradiaphragmatic Total Anomalous Pulmonary Venous Drainage *69*
López C (*see* Salazar) *53*
Lorentzen JE (*see* Nielsen) *179*
Lorenz JM (*see* Reller) *17*
Louhimo I (*see* Sairanen) *259*
Luber JM Jr (*see* Diamant) *171*
Lucas RV Jr (*see* Gikonyo) *193*
Luhmer I (*see* Trowitzsch) *165*

Marasini M: Aortic Arch Interruption: Two-dimensional Echocardiographic Recognition in utero *147*
Marin-Garcia J (*see* Burckart) *269*
Martin GR: Contrast Echocardiography in the Diagnosis of Anomalous Left Coronary Artery Arising from the Pulmonary Artery *203*
Mehta AV (*see* Sanchez GR) *103*
Merkle W (*see* Trowitzsch) *165*
Meyer RA (*see* Reller) *17*
Micheli J-L (*see* Lauener) *113*
Miller JF (*see* Hoadley) *275*
Moes CAF (*see* Burrows) *331*
Moncada R (*see* Ow) *223*
Moore GW (*see* Tazelaar) *187*
Moore HV (*see* Alpert) *107*
Moore WH (*see* Vargo) *199*
Mori C (*see* Ito) *249*
Mukhopadhyay S (*see* Rao) *293*
Murgo JP (*see* Hoadley) *275*

Nakajima Y (*see* Yanagisawa) *11*
Nichols M (*see* Wolf) *287*
Nielsen G: Venous Blood Flow in the Leg after Ligation of the Femoral Vein during Cardiac Catheterization in Young Children *179*
Nouri S (*see* Jureidini) *239*

Okuni M (*see* Ito) *249*
Onyet H (*see* Courtemanche) *279*
Ow EP: Diagnosis of Intrapericardial Tumor in an Infant by Two-dimensional Echocardiography *223*

Pahlajani DB: Anomalous Origin of Right Pulmonary Artery from Ascending Aorta with Right Ventricular Endocardial Fibroelastosis *47*
Pandit S (*see* Pahlajani) *47*
Pantivaidya SH (*see* Pahlajani) *47*
Pappas G (*see* Sadow) *83*
Patwardhan AM (*see* Pahlajani) *47*
Payot M (*see* Lauener) *113*
Pedroni E (*see* Fagioli) *52*
Perry JR (*see* Long) *69*
Person DA (*see* Vargo) *199*
Pifarre R (*see* Ow) *223*
Plaza L (*see* Salazar) *283*
Pollack P (*see* Burtt) *307*
Pongiglione G (*see* Marasini) *147*
Porro E (*see* Marasini) *147*
Presti S: Digoxin Toxicity in a Premature Infant: Treatment with Fab Fragments of Digoxin-specific Antibodies *91*

Rao PS: Left Ventricular Function in Isolated Rheumatic Mitral Stenosis in Children *293*
Reller MD: Hemodynamically Significant PDA: an Echocardiographic and Clinical Assessment of Incidence, Natural History, and Outcome in Very Low Birth Weight Infants Maintained in Negative Fluid Balance *17*

Reyes LK (*see* Jureidini) *239*
Rigler B (*see* Beitzke) *227*
Ritter DG (*see* Huhta) *57*
Rohm N (*see* Zerkowski) *43*
Rozkovec A: Natural History of Left Ventricular Function in Neonatal Coxsackie Myocarditis *151*
Rutledge J: Digitalis Toxicity in Infants and Plasma Digoxin Levels *51*

Sadow SH: Taussig–Bing Anomaly and Coarctation of the Aorta in Infancy: Surgical Options *83*
Sairanen H: Pulmonary Vein Diameter in Normal Children *259*
Salazar J: Anatomically Corrected Malposition of the Great Arteries in Situs Ambiguus with Polysplenia *53;* Almost Total Absence of the Left Ventricular Myocardium with Dextro-transposition of the Great Arteries *283*
Salzarulo P (*see* Fagioli) *52*
Sanchez HE: Drainage of the Inferior Vena Cava to the Left Atrium *207*
Sanchez GR: Successful Percutaneous Balloon Valvuloplasty of the Aortic Valve in an Infant *103*
Sapire DW (*see* Casta) *245*
Saslow J (*see* Presti) *91*
Sauer U (*see* Johnson) *137*
Schaber DE: Intravenous KCl Supplementation in Pediatric Cardiac Surgical Patients *25*
Schaffer MS: AIDS-related Complex Following Infant Cardiac Surgery *335;* (*see* Loehr) *323*
Schneider K (*see* Lindner) *117*
Shapira H (*see* Di Segni) *215*
Sharratt GP: Left-axis Deviation in Otherwise Healthy Children *7;* Friedreich's Ataxia Presenting as Cardiac Disease *41*
Shiraishi H (*see* Yanagisawa) *11*
Sholler GF: Infective Endocarditis in Childhood *183*
Shrivastava S (*see* Rao) *293*
Siassi B (*see* Walther) *61*
Silverman NH (*see* Martin) *203*
Singh A (*see* Schaber) *25*
Smith A: Architecture of the Ventricular Mass and Atrioventricular Valves in Complete Transposition with Intact Septum Compared with the Normal: I. The Left Ventricle, Mitral Valve, and Interventricular Septum *253;* Architecture of the Ventricular Mass and Atrioventricular Valves in Complete Transposition with Intact Septum Compared with the Normal: II. The Right Ventricle and Tricuspid Valve *299*
Smith TW (*see* Presti) *91*
Soifer SJ (*see* Martin) *203;* (*see* Bernstein) *313*
Stein JI (*see* Beitzke) *227*
Stone FM (*see* Schaber) *25*
Stránský P (*see* Endrys) *263*
Suarez CR (*see* Ow) *223*
Subramanian R (*see* Ow) *223*
Suppan C (*see* Beitzke) *227*
Synhorst DP (*see* Sadow) *83*

Tandon R (*see* Gikonyo) *193;* (*see* Rao) *293*
Taussig HB: Alois J. Beuren *1*
Tazelaar HD: Ventricular Inversion and Tricuspid Atresia (VITA Complex): Long Survival without Surgical Treatment *187*
Teitel D (*see* Bernstein) *313*
Tolppanen E-M (*see* Sairanen) *259*
Tomisawa T (*see* Kim) *114*
Tonkin IL (*see* Alpert) *175*
Topaz O: Aneurysm of the Fossa Ovalis in Infants: a Pathologic Study *65*
Trowitzsch E: Congenital Thrombotic Occlusion of the Ascending Aorta and the Aortic Arch *165*

Uden DL (*see* Schaber) *25*
Ueda T (*see* Kim) *114*

Van de Wal HJCM: Dissecting Ventricular Septal Aneurysm after Open-heart Surgery *319*
Van der Horst RL (*see* Hastreiter) *51*
Vargo TA: Recurrent Kawasaki Disease *199*
Versmold H (*see* Lindner) *117*
Virmani S (*see* Sharratt) *7*
Vosloo SM (*see* De Moor) *219*

Wagenvoort CA (*see* Lang) *161*
Waldman JD: Anastomosis of Systemic Veins to Pulmonary Arteries for Physiologic Repair of Asplenia Syndrome *327*
Walther FJ: Normal Values of Aortic Root Measurements in Neonates *61*
Watson GH: Atresia of the Coronary Sinus Orifice *99*
Wilkinson JL (*see* Smith A) *253;* (*see* Smith A) *299*
Wolf WJ: Diagnostic Features and Pitfalls in the Two-dimensional Echocardiographic Evaluation of a Child with Cor Triatriatum *211;* Anomalous Origin and Malposition of the Pulmonary Arteries (Crisscross Pulmonary Arteries) Associated with Complex Congenital Heart Disease *287*
Wranne B (*see* Freund) *233*
Wu PYK (*see* Walther) *61*

Yamauchi K (*see* Ito) *249*
Yanagisawa M: Coronary Aneurysms in Kawasaki Disease: Follow-up Observation by Two-dimensional Echocardiography *11*
Yano S (*see* Yanagisawa) *11*
Yousof M (*see* Endrys) *263*

Zerkowski H-R: Partial Replacement of the Left Ventricular Wall for a Large Intramural Fibroma *43*